

COLLETON COUNTY, SOUTH CAROLINA, a body politic and corporate and a political subdivision of the State of SC	MAIL TO: Finance-Purchasing ATTN: Kaye B Syfrett PO Box 157 Walterboro, SC 29488	
<b>SEALED BEST VALUE BID</b>	HAND CARRY TO: Purchasing Office, Room 208 Harrelson Building, 31 Klein Street Walterboro, South Carolina 29488	
	TELEPHONE NO. (843) 782-0504	
<b>Bids will be accepted until 10:00AM, Thursday, October 10, 2013</b>	<b>BID NUMBER: FMD-06 Installation of Emergency Equipment in/on Colleton County Vehicles</b>	



Colleton County, South Carolina (the "**County**") requests bids for the Installation of Emergency Equipment on Colleton County vehicles. Some equipment to be installed will be supplied by the County; other equipment shall be included in the bid price and supplied by the successful bidder.

Subject to the terms, conditions, provisions, and the enclosed specifications, responses to this solicitation will be received at this office until the stated date and time. Responses received after the scheduled due date and time will be rejected. Bids must be submitted in a sealed package marked on the outside with the Offeror's name, address, and the solicitation name and number.

This solicitation does not commit Colleton County to award a contract, to pay any costs incurred in the preparation of bids submitted, or to procure or contract for the services. The County reserves the right to accept or reject or cancel in part, or in its entirety offers received as a result of this request if deemed to be in the best interest of the County to do so.

Questions regarding this solicitation must be emailed to **Johnny Stieglitz, Fleet Management Director** at [jstieglitz@colletoncounty.org](mailto:jstieglitz@colletoncounty.org) no later than **11:00 a.m. on Thursday, October 3, 2013**. Answers to all questions will be posted on the County website as addendums to this invitation for bid.

## INSTRUCTIONS TO BIDDERS

1. Submittal must include **one (1) original bid** clearly marked as original, and **two (2) complete copies** of the Offeror's bid along with a **completed W-9 form**. Responses must be in a sealed envelope/package, received by fax or other electronic means (e-mail in \*.pdf format). For identification purposes, all envelopes/packages must contain the solicitation name and number.

The individual signing the response must be an Agent legally authorized to bind the company.

2. Show solicitation number on the outside of mailing package. Colleton County assumes no responsibility for unmarked or improperly marked envelopes.
3. It is the Offeror's sole responsibility to insure that solicitation responses, amendments thereto or withdrawal requests are submitted by the scheduled due date and time.

4. Offeror must clearly mark as "Confidential" each part of their response, which they consider to be proprietary information that could be exempt from disclosure under Section 30-40(C) Code of Laws of South Carolina, 1976, Freedom of Information Act. Colleton County reserves the right to determine whether this information should be exempt from disclosure and legal action may not be brought against the County or its agents for its determination in this regard.

5. **RESPONSE FORM:** All responses shall be printed in ink or typewritten. When required, additional pages may be attached.

**A "No Response" qualifies as a response; however it is the responsibility of the Offeror to notify the Procurement Office if you receive solicitations that do not apply.**

## **SPECIFIC TERMS AND CONDITIONS**

**1. COMPETITION:** This solicitation is intended to promote full and open competition. If any language, specifications, terms and conditions, or any combination thereof restricts or limits the requirements in this solicitation to a single source, it shall be the responsibility of the interested vendor to notify the Procurement Office in writing no later than five (5) business days prior to the scheduled due date and time.

**2. BIDDERS QUALIFICATION:** The County reserves the right to request satisfactory evidence of their ability to furnish services in accordance with the terms and conditions listed herein. The County further reserves the right to make the final determination as to the Offerors ability to provide said services.

**3. BID WITHDRAWAL:** Any responses may be withdrawn prior to the established closing date and time, but not thereafter with proper approval from the Procurement Director.

**4. REJECTION:** Colleton County reserves the right to reject any and all bids, to cancel or withdraw this solicitation, and to waive any technicality if deemed to be in the best interest of the County.

**5. WAIVER:** The County reserves the right to waive any Instruction to Offerors, General or Special Provisions, General or Special Conditions, or specifications deviation if deemed to be in the best interest of the County.

**6. RESPONSE PERIOD:** All responses shall be good for a minimum period of 60 calendar days.

**7. DEVIATIONS FROM SPECIFICATIONS:** Any deviation from specifications indicated herein must be clearly pointed out; otherwise, it will be considered that items offered are in strict compliance with these specifications, and successful bidder will be held responsible therefore. Deviations must be explained in detail on separate attached sheet(s). The listing of deviations, if any, is required but will not be construed as waiving any requirements of the specifications. Unidentified deviations found during the evaluation of the response may be cause for rejection.

**8. AMENDMENTS:** All amendments to and interpretations of this solicitation shall be in writing and issued by the Procurement Director of Colleton County.

**9. DEFAULT:** In case of default by the Offeror, the County reserves the right to purchase any or all items in default in the open market, charging the Offeror with any excessive costs. Should such charge be assessed, no subsequent solicitation response of the defaulting Offeror will be considered in future bids until the assessed charge has been satisfied.

**10. NON-APPROPRIATION / SUBSTITUTION PERMITTED:** If the Colleton County Council fails to appropriate or authorize the expenditure of sufficient funds to provide the continuation of this contract or if a lawful order issued in, or for any fiscal year during the term of the agreement, reduces the funds appropriated or authorized in such amounts as to preclude making the payments set out therein, the agreement shall terminate on the date said funds are no longer available without any termination charges or other liability incurring to County. Following any such non-appropriation, the master lease agreement shall contain no limitation on the County's ability to replace the equipment financed with any other equipment.

**11. INDEMNIFICATION:** Except for expenses or liabilities arising from the negligence of the County, the Offeror hereby expressly agrees to indemnify and hold the County harmless against any and all expenses and liabilities arising out of the performance or default of any resulting agreement or arising from or related to the Work as follows:

Offeror expressly agrees to the extent that there is a causal relationship between its negligence, action or inaction, or the negligence, action or inaction of any of its employees or any person, firm, or corporation directly or indirectly employed by the Offeror, and any damage, liability, injury, loss or expense (whether in connection with bodily injury or death or property damage or loss) that is suffered by the County and its employees or by any member of the public, to indemnify and save the County and its employees harmless against any and all liabilities, penalties, demands, claims, lawsuits, losses, damages, costs, and expenses arising out of the performance or default of any resulting agreement or arising from or related to the equipment. Such costs are to include defense, settlement and reasonable attorneys' fees incurred by the County and its employees. This promise to indemnify shall include bodily injuries or death occurring to Offeror's employees and any person, directly or indirectly employed by Offeror (including without limitation any employee of any subcontractor), the County's employees, the employees of any other independent contractor, or occurring to any member of the public. When the County submits notice, Offeror shall promptly defend any aforementioned action. The prescribed limits of insurance set forth herein shall not limit the extent of the Offeror's responsibility under this Section. The terms and conditions contained in this Section shall survive the termination of any resulting agreement or the suspension of the Work hereunder. Additionally the County will not provide indemnity to the successful bidder. Failure to comply with this section may result in your bid to be deemed non-responsive.

**12. FORCE MAJEURE:** The Offeror shall not be liable for any excess costs if the failure to perform the resulting agreement arises out of causes beyond the control and without fault or negligence of the Offeror. Such causes may include, but are not restricted to acts of God or of the public enemy, acts of the Government in either its sovereign or contractual capacity, fires, floods, epidemics, quarantine restrictions, strikes, freight embargoes, and unusually severe weather; but in every case the failure to perform must be beyond the control and without the fault or negligence of the contractor. If the failure to perform is caused by default of a subcontractor, and if such default arises out of causes beyond the control of both the Offeror and subcontractor and without excess costs for failure to perform, unless the supplies or

services to be furnished by the subcontractor were obtainable from other sources in sufficient time to permit the contractor to meet the required delivery schedule.

**13. ARBITRATION:** Under no circumstances and with no exception will Colleton County act as arbitrator between the Offeror and any sub-contractor.

**14. PUBLICITY RELEASES:** Offeror agrees not to refer to award of this contract in commercial advertising in such a manner as to state or imply that the products or services provided are endorsed or preferred by the County. The Offeror shall not have the right to include the County's name in its published list of customers without prior approval of the County Administrator. With regard to news releases, only the name of the County, type and duration of any resulting agreement may be used and then only with prior approval of the County. The Offeror also agrees not to publish, or cite in any form, any comments or quotes from the County's staff unless it is a direct quote from the Procurement Director.

**15. GOVERNING LAWS:** Any agreement arising from this solicitation shall be governed by the laws of the State of South Carolina and any and all disputes arising out of said agreement shall, if litigation is necessary, be litigated only in a Circuit Court for the Fourteenth Judicial Circuit sitting in Colleton County, South Carolina. The prevailing party shall be entitled to attorney's fees and all costs of said litigation.

**16. ASSIGNMENT:** The Offeror shall not assign in whole or in part any agreement resulting from this Request for Bids without the prior written consent of the County. The Offeror shall not assign any money due or to become due to him under said agreement without the prior written consent of the County.

**17. AFFIRMATIVE ACTION:** The successful Offeror will take affirmative action in complying with all Federal and State requirements concerning fair employment and treatment of all employees, without regard or discrimination by reason of race, color, religion, sex, national origin or physical handicap.

**18. CONTRACT AWARD:**

**A.** This solicitation and submitted documents, when properly accepted by Colleton County shall constitute an agreement equally binding between the successful Offeror and the County. No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated in the resulting agreement. The County shall not be legally bound by any amendment or interpretation that is not fully executed by both parties in writing.

**B.** The successful Offeror shall be required to execute a formal agreement with the County's Procurement Office within ten (10) business days after issuance of the Notice of Award.

**19. PURCHASING CARD:** By submitting a bid, contractor agrees to accept payment by the Colleton County Purchasing Card for no extra charge. The Purchasing Card is issued by Visa. The purchasing card allows county agencies to make authorized purchases from a vendor, in conjunction with a purchase order.

**20. CONTRACT ADMINISTRATION:** Questions or problems arising after award of an agreement shall be directed to the Procurement Director by calling (843) 549-5221. Copies of all correspondence concerning this solicitation or resulting agreement shall be sent to the Procurement Office, 31 Klein Street, Room 215, Walterboro, SC 29488.

## **Installation of Emergency Equipment and various customer-supplied items in/on Colleton County vehicles**

It is the intent of Colleton County Fleet Management to have all of the equipment listed below installed into or onto the designated vehicles. It is also the intent to use the individual price sheet found in the rear of this packet to install certain lights and equipment on other vehicles throughout the year. **Please price your equipment individually.**

### **SCOPE:**

Colleton County will supply seven (7) 2013 Chevrolet Tahoe PPV vehicles and five (5) 2013 Chevrolet HD 2500 Silverado's to have the equipment listed in the following sections permanently mounted and wired to the vehicles. All pricing is per vehicle. **There will be no exceptions to manufacturer or model. Colleton County has standardized its fleet and equipment for easy replacement.**

- All exterior mounting hardware used to secure all equipment to the below listed vehicles must be stainless steel. This includes bolts, nuts, screws, washers, etc. Exterior mounting refers to any parts added to the vehicle by the vendor, which are mounted outside of the vehicle interior and exposed to the weather. Areas exposed to the weather would include, but not be limited to, the vehicle roof, hood, bumpers, areas behind the bumper, areas behind the grille, engine compartment, any areas around the chassis frame, wheel wells, other areas located on the exterior of the vehicles.
- All wiring will be new and unused. Color-coding will be used for different circuits and all wires will be labeled for easy servicing.
- All wire shall be of the copper stranded type, polyvinyl chloride insulated with a smooth exterior finish. It shall be resistant to oil, grease, acids and excessive heat.
- All wiring shall meet or exceed S.A.E. specification J1128.
- All power circuits must use a gauge of wire exceeding the rated capacity of the circuit.
- LED cables – All LED cables shall be continuous with connectors or plugs added between the power supply and the light head. All cables shall have the ground securely grounded to the vehicle chassis. No wire nuts, butt splices or soldered joints will be accepted on the circuits. No exceptions.
- Wire Loom – All electrical wires, including LED cables, shall be protected by wire loom. All wire looms shall be convoluted, slit, high temperature type with a protection range between –30 and 300 degrees Fahrenheit. All wire looms shall be securely attached to the vehicle with rubber grommet clamps or self-locking wire ties. The use of adhesive back wire ties is not acceptable.
- Loom Clamps – All loom clamps used for securing wires to the exterior areas of the vehicle, shall be stainless steel. Each clamp shall be equipped with a removable neoprene cushion to protect the wiring harness from vibration. Pressure sensitive, adhesive backed wire ties or loom clamps are not acceptable.
- Rubber Grommets – In all areas where the wiring harness must pass through drilled holes, from the interior to the exterior of the vehicle or any areas where chafing or damage to the wiring harness or cables may occur, rubber grommets shall be used to protect the wires and cables from damage. All grommets shall be of the

appropriate size and any free space shall be sealed with a clear silicone sealant to prevent air or water leaks

- Vendor shall supply all connections, wire ties, rubber grommets, insulated fasteners, relays, fuses, circuit breakers, etc. All electrical protection equipment (circuit breakers or fuses) is to be mounted in the cab at a location or other location if so specified, to provide easy maintenance and/or replacement. All electrical components must be new and unused.
- All circuits are to have electrical protection.
- Installed equipment shall operate when the vehicle ignition switch is in the "ON" or "OFF" position **SUBJECT TO VEHICLE: SHALL BE DETERMINED BY FLEET MANAGEMENT.**
- **Location of primary remote power supply to be determined by Fleet Management before installation begins.**

1. Installation of emergency equipment, various customer supplied auxiliary equipment, a total of **One (1)** 2013 Chevrolet Tahoe's.

**The following equipment shall be installed on the vehicles. Please note the special price page at the end of the bid packet. Individual pricing will be required for vehicles that will not require the following equipment:**

- Install one (1) Progard S5705T07 Transport seat w/7ga steel screen window cargo barrier
- Install one (1) Progard P5704T12A center sliding Polycarb window cage/front partition.
- Install one (1) Progard SPS7FW12 Full width lower extension
- Install two (2) WBP57NPT07 Polycarb window barriers/ use with OEM door panels.
- Install one (1) Go Rhino 5162 WHD wrap around push bumper
- Install one (1) Lap top Ram mount model RAM-VB-159-SW1.
- Install one (1) Stinger DS HP flashlight.
- Install one (1) Console Havashield # C-2410 And the following additions
- Install one (1) three way 12 volt power supply in the console Havashield # HAV-C-LP-3
- Install (1) two hole cup holder in the console HAV-C-CUP2-1
- Install (1) Lock box in the console Havashield #AP-139-L
- Install (1) Padded folding console arm rest on the console part # Havashield # ARM-103
- Install two (2) Mic Clip brackets. HAV-C-MCB
- Install one (1) Tunnel Mount assembly. Part# C-TMW-GMC-02
- Install one (1) Linz Inner edge 10LT. 2pc Blue. WHE-IZ13UFZ, Front windshield
- Install two (2) Dominator 8 LINZ6-blue with brackets (1) behind the front grill (1) rear window. WHE-D808000
- Install six (6) vertex split blue/white in the following locations: pricing to include the flanges. black in color:
  - (2) Under side rear view mirrors
  - (2) Reverse tail light
  - (2) tail light area
- Install Four (4) Ion V-heads. two each side of the vehicle in between the running board and the bottom of the door Part # IONSV3

- Install one (1) hands free siren w/9 switch light controls with park kill time out relay Whelen# WHE-295HFSA6
- Install one (1) Siren speaker SA315 black plastic to include mounting kit. Whelen# WHE-SA315P
- Install two (2) 9 LED interior lights. 1 on rear door, 1 on ceiling above the front console. WHE-80COEHCR
- Install two (2) Round rocker switches. Model# WAY-44235 Black w/illuminated red LED indicator. 1 at rear cargo corner post/left side. 1 in console
- Install one (1) Tuff box Tufloc 36-009ck w/combo lock. to include Two dividers Tufloc 36-001203B-1
- Install one (1) Customer supplied radar system. (see special instruction)
- Install one (1) Customer supplied Digital camera system. (see special instructions)
- Install hard wired computer power supply. Customer supplied.
- Install two (2) Customer supplied Radios. (see special instructions)

2. Installation of emergency equipment, various customer supplied auxiliary equipment, a total of **One (1)** Sheriff, 2013 Chevrolet, HD 2500 Silverado's.

**The following equipment shall be installed on the vehicles. Please note the special price page at the end of the bid packet. Individual pricing will be required for vehicles that will not require the following equipment:**

- Install one (1) Stinger DS HP flashlight.
- Install one (1) Console Havashield # C-AS-1025 And the following additions
- Install one (1) three way 12 volt power supply in the console Havashield # HAV-C-LP-3
- Install two (2) Mic Clip brackets. HAV-C-MCB
- Customer supplied radios.
- Customer supplier radio speakers
- Install one (1) hands free siren w/9 sw/light controls with park kill time out relay Whelen# WHE-295HFSA6
- Install one (1) Siren speaker SA315 black plastic. to include mounting kit. Whelen# WHE-SA315P
- Install one (1) Linz Inner edge 10LT. 2pc Blue. WHE-IZ13UFZ, Front windshield
- Install two (2) Dominator 8 LINZ6-blue with brackets (1) Winch light bar. (1) rear window. WHE-D808000
- Install Four (6) Ion V-heads. One each end of the tool box and one each side of the box facing rearward. One each side of winch carrier, facing sideways. Part # IONSV3
- Install six (6) Whelen Vertex clear LEDs w/clear lens:
  - One in the reverse lights. Both sides.
  - One in the front head lights. Both sides
  - One under side view mirror. Both sides
- Install one (1) 9 LED interior light on ceiling above the front console, switched at the light. WHE-80COEHCR
- Install up to, two (2) Customer supplied 800 MHz Radios. (see special instructions)

3. Installation of emergency equipment, various customer supplied auxiliary equipment, a total of **One (1)** Fire Rescue, 2013 Chevrolet, HD 2500 Silverado with utility cover.

**The following equipment shall be installed on the vehicles. Please note the special price page at the end of the bid packet. Individual pricing will be required for vehicles that will not require the following equipment:**

- Install one (1) Whelen Dominator 8 with L bracket Model # DP840040 mount to the front winch light bar.
- Install one (1) Jump start system, 500 amps, Make: Associated. Model # GL1 Mount to the side of the winch carrier.
- Install one (1) Road Runner Headlight Flasher. Unit shall flash alternating high beams only. Model# ETRRSS-P
- Install two (2) Whelen Vertex Clear LEDs w/clear lens in the reverse lights. Both sides.
- Install four (4) M7 Red LED with RED Lens with chrome flanges;
  - one each side of truck on the rear fender
  - one each side of truck on the front fender
- Install four (4) M7 Clear LED with clear lens with chrome flange:
  - one each side of truck on the rear fender
  - one each side of truck on the front fender
- Install two (2) Federal Signal Model ES 100 siren speakers. Mount to the underside of the winch carrier.
- Install two (2) Whelen LENZ6 Red LEDs. Mount to each side of the license plate.
- Install one (1) Roscoe, single unit camera system. Make: Roscoe Vision: Model Dual Vision, DV132 32GB SDHC. Mount camera to front windshield under rear view mirror.
- Install three (3) customer supplied 800 MHz radios and accessories to include:
  - Two (2) remote heads. Mounted in utility cover.
  - Three external speakers. Mount in cab
  - Two (2) external speakers in utility cover
  - Three (3) 800 MHz cables and antennas.
- Install one (1) Whelen Ultra freedom, 55inch LED lightbar. Mount permanently to cab roof. Seal all holes for mounting bolts and wiring. Lightbar is to have clear lenses, except over the center mounted Halogen Takedown Lights. The lens sections over the take down lights shall be Red. Lightbar is to be equipped with Take Down lights, which shall be moved to the center of the lightbar, facing forward. Clear 400 series LEDs shall be installed in the alley positions to flash 150 times per minute. Corner LEDs shall be Red. No modules, other than the corner LEDs shall be installed on the back of the Lightbar. The 400 series LEDs facing to the front shall alternate Red and Clear. Mount lightbar in the center of the truck roof between front and rear doors. Light bar to be horizontal with the ground. **NO TILT.**
- Install one (1) Golight Model 2020 white/remote controlled search/spot light. Mount to the center of the utility cover. Dash remote mount to be located at installation.
- Install one (1) interior light in center of ceiling. Unit to have a red and clear LEDs switched at the light Model# ECVDMLTZA

- Install one (1) 12 inch Havashield console # C-AS-1025 on the transmission hump under the dash. And the following additions:
- Install one (1) three way 12 volt power supply in the console Havashield # HAV-C-LP-3
- Install four (4) Mic Clip brackets. HAV-C-MCB
- Three (3) Customers supplied radios.
- Three (3) Customer supplier radio speakers
- Install one (1) Whelen HHS 2200 Remote Siren w/hand held controls.
- Install two (2) Mag-Lite rechargeable 5 cell flash lights. Model # RE7019 in the cab of the truck.
- Install one (1) Whelen Part# L31H Green LED w/clear lens. Mount to the top center of the light bar. Wire to a separate switch.
- Install four (4) Whelen Pioneer LED scene lights Model PCP 2 Pioneer plus combination flood and spot light. Mount two each side of truck cover at the front, and mount two each side of truck cover at the rear of the cover. The right and the left sides shall be controlled by separate switches located in the cab.
- Install two (2) Whelen L31H Red LEDs with Red lens to the rear of the cover.
- Install two (2) Whelen M9 Red LEDs with red lens and chrome flanges to the rear upper outside corner w/chrome flanges. Lights to be set to alternately flash double rate at a rate of 150 flashes per minute.
- Install two (2) Whelen M9ZC Scene lights to the upper rear doors of the cover, wire to the backup lights and on a separate switch on the cab switch panel.
- Install three (3) Whelen 18" Fluorent plus LED tube lights Model # F18PC. Install in the interior of the utility cover.
- Install Four (4) Whelen 9" Fluorent Plus LED tube lights Model # F09PC. Install two in each side compartment. One at each end of the compartment. Wire to activate the lights with a switch in the cab and a remote switch located at the rear of the tool box inside the utility cover.
- Install a Havis three (3) outlet 12 volt plug to the rear of the truck. Mount to the rear of the tool box inside the utility cover. Model# HAV-ABL-140553

**Special Instructions for the radar unit:** One (1) customer supplied radar unit shall be supplied to the installer, Manufactured by, Kustom Signals Inc. Model type: Golden Eagle w/dual KA band antennas w/optional eyewitness interface. Radar antennas shall be installed on the driver's side in the front window and in the rear window. Fleet Management will pinpoint the exact location before installation begins. The exact location of the radar read out panel will be pin pointed at this time also.

**Special instructions for the digital camera system:** One (1) customer supplied digital camera system shall be supplied to the installer, Manufactured by:L3 Communications, Model type: MVD-FBDVS flashback digital video system assembly, w/flashback rear facing IR cameras and microphone w/cables, crash sensor, battery back-up and Kustom pro 1000/Eagle Eye radar interface flashback. Fleet Management shall designate location of the cameras and camera recording system before installation begins. All triggers that are available with this unit shall be utilized. ***(If the unit has the capabilities it will be used) Crash sensor is to be mounted on the passenger side forward most available floorboard position.***

**Special instructions for the Radio's** Installation of up to three (3) customers supplied 800 MHz two piece radios in console, microphone clip, external speakers, and three (3) 800 MHz antennas on roof or rear deck. Make electrical connections for the radios and run antenna

cables to the roof. Radios, microphone clips and external speaker locations will be specified at the time of the install

#### **LOCATION:**

The installation shall be performed at the successful vendor's facility. The successful vendor must have an enclosed service facility within 160 miles of Colleton County, South Carolina. Colleton County will deliver the vehicle(s) to the vendor's facility for installation of the emergency equipment and auxiliary products. The vendor must be able to provide a fenced, secure area for storage of the vehicles while they are on the vendor's property. The start time of the installations will depend on the delivery dates of the new vehicles and accessories. Colleton County Fleet Management will determine the number of vehicles made available at one time.

#### **VENDOR REQUIREMENTS:**

1. Vendor shall have a minimum of ten (10) years engaged in the installation of electrical, emergency warning equipment on Fire Apparatus and Sheriff Patrol Vehicles. Vendor shall be experienced with 2013 or newer, Navistar, International series cab and chassis, Ford Vehicles and Chevrolet vehicles as well as the industry wide multiplex electrical systems.
2. Successful vendor shall provide a certificate of insurance per the requirements listed in the "General Conditions".
3. Successful vendor will insure that all hardware and connections do not interfere with the safe operation of any other components on the vehicle.
4. All additional wiring and connections are to be supplied by the vendor.
5. Vendor shall provide a minimum of three (3) references for similar installation experience.
6. Inspection of the first vehicles, wiring and location of installation shall be performed by Colleton Count Fleet Management before all panels, seat carpet and such are reinstalled on the unit. **Mandatory.**

The vendor must carry insurance coverage to provide protection for the county vehicles in the event any damage is sustained while the vehicles are in the vendor's possession. Colleton County shall be able to inspect the progress of the installations at any time during normal business hours.

### **GENERAL CONDITIONS**

**A) Abandonment or Delay:** If the work to be done under this contract shall be abandoned or delayed by the Offeror, or if at any time the County shall be of the opinion and shall so certify in writing that work has been abandoned or delayed by the Offeror, the County may annul the contract or any part thereof if the Offeror fails to resolve the matter within thirty (30) days of written notice.

**B) Offeror's Cooperation:** The Offeror shall maintain regular communications with the Facilities Director and shall actively cooperate in all matters pertaining to this contract.

**C) Responsibility:** The Offeror shall at all times observe and comply with all federal, state, local and municipal laws, ordinances, rules and regulations in any manner affecting the contract.

**D) Hold Harmless:** All respondents to this bid shall indemnify and hold harmless Colleton County Government and any of their officers and employees from all suits and claims alleged to be a result of this bid. The issuance of this bid constitutes only an invitation to present a proposal. Colleton County reserves the right to determine, at its sole discretion, whether any aspect of a respondent's submittal meets the criteria in this bid. Colleton County also reserves the right to seek clarifications, to negotiate with any vendor submitting a response, to reject any or all responses with or without cause, and to modify the procurement process and schedule. In the event that this bid is withdrawn or the project canceled for any reason, Colleton County shall have no liability to any respondent for any costs or expenses incurred in connection with this bid or otherwise.

**E) Colleton County Procurement Policy:** The Bid is subject to the provisions of the Colleton County Procurement Ordinance and any revisions thereto, which are hereby incorporated into this bid in their entirety except as amended or superseded within.

**F) Failure to Submit All Mandatory Forms:** Failure to submit all the mandatory forms from this Bid package shall be just cause for the rejection of the qualification package. However, Colleton County reserves the right to decide, on a case by case basis, in its sole discretion, whether or not to reject such a bid as non-responsive.

**G) Failure to Deliver Goods in Accordance with Terms & Conditions:** In case of failure to deliver goods in accordance with the contract terms and conditions, Colleton County, after due oral or written notice, may procure substitute goods or services from other sources and hold the contractor responsible for any resulting additional purchasing and administrative costs. This remedy shall be in addition to any other remedies which Colleton County may have.

**H) Debarment:** By submitting a qualification package, the vendor is certifying that they are not currently debarred from bidding on any contracts by any agency or subdivision of the State of South Carolina, nor are they an agent of any person or entity that is currently debarred from submitting bids on contracts by any agency or subdivision of the State of South Carolina.

#### **I) Termination of Contract**

1. Subject to the Provisions below, the contract may be terminated by the Purchasing Department providing a thirty (30) days advance notice in writing is given to the offeror.

a. Termination for Convenience: In the event that this contract is terminated or canceled upon request and for the convenience of the County without the required thirty (30) days advance written notice, then the County shall negotiate reasonable termination costs, if applicable.

b. Termination for Cause: Termination by the County for cause, default or negligence on the part of the offeror shall be excluded from the foregoing provisions; termination costs, if any, shall not apply. The thirty (30) days advance notice requirement is waived and the default provision in this bid shall apply.

c. The County shall be obligated to reimburse the Offeror only for those services rendered prior to the date of notice of termination, less any liquidation damages that may be assessed for non-performance.

2. Non-Appropriations Clause: Notwithstanding any other provisions of the contract, if the funds anticipated for the continued fulfillment of this contract are at any time not forthcoming, through the failure of the County Government to appropriate funds, discontinuance or material alteration of the program under which funds were provided, the

County shall have the right to terminate the contract without penalty by giving not less than thirty (30) days written notice documenting the lack of funding.

Unless otherwise agreed to by the County and the Offeror, the contract shall become null and void on the last day of the fiscal year for which appropriations were received.

**J) Governing Laws:** Any contract resulting from this bid shall be governed in all respects by the laws of the State of South Carolina and any litigation with respect thereto shall be brought in the courts of the State of South Carolina.

**K) Bonds:** No Bid Bonds, Payment Bonds or Performance Bonds are required for this bid.

**L) Insurance requirements** – Colleton will require the following remain in force at all times through the life of the contract:

- Professional Liability Insurance – Minimum \$1,000,000.00 Proof of in force insurance must be provided in the response to the RFP
- Other insurances:
- Workers’ Compensation - \$100,000 – each accident
  - Statutory Coverage and Employer’s - \$100,000 each employee
  - Liability - \$500,000 – policy limit
  - Comprehensive General Liability -\$1,000,000 – bodily injury each occurrence
    - \$1,000,000 – bodily injury aggregate
    - \$1,000,000 – property damage each occurrence
    - \$1,000,000 – property damage aggregate
- Products – Completed Operations - \$1,000,000 – aggregate
- Business Auto Liability – Same as Comprehensive General Liability
- Excess or Umbrella Liability - \$1,000,000

Colleton County will be named as an “additional insured” party.

**FMD-06 Installation of Emergency Equipment  
In/on Colleton County Vehicles**

**The total bid price should include all applicable sales tax.**

**One (1) 2013 Chevrolet Tahoe**

Equipment and Labor \_\_\_\_\_

Deduct labor if not installing Radar \$ \_\_\_\_\_

Deduct labor if not installing Camera \$ \_\_\_\_\_

**One (1) (Sheriff) Chevrolet 2500 HD pick-up**

Equipment and Labor \_\_\_\_\_

**One (1) (Fire Rescue) Chevrolet 2500 HD pick-up**

Equipment and Labor \_\_\_\_\_

## Price individually

The following equipment may be installed at a future date on other types of vehicles, or removed from the installation list above on any future vehicles or purchased separately.

**Pricing shall not include installation**

Make	Model	Description	Cost
Federal Signal	Model # ES-100	Siren Speaker 100 watt Compact Siren Speaker, with mounting bracket	
Federal Signal	Model# CP100	Siren Speaker 100 watt Chrome Speaker, with Chrome mounting base	
GOLIGHT	Model 2020	Search Light, White, with dash mounted remote.	
GOLIGHT	Model 30004	LED Search light White, Stryker Model with LED and Wireless Hand-held Remote.	
Havis Shield	Model# 2410	24" inches long, 10" deep High Console, arm 103 arm rest, Cup 2-I internal cup holder.	
Havis Shield	Model# C-AS-1025	12 inch long console	
Havis Shield	Model C-TMW-GMC-01	Tunnel Mount, Mounting bracket	
Havis Shield	Model# HAV-ABL-140553	(3) outlet 12 volt plug	
Havis Shield	Model# HAV-C-LP-3	(3) outlet 12 volt plug for console	
Havis Shield	Model# ARM-103	Console padded arm rest	
Havis Shield	Model# HAV-C-MCB	Mic. Clips	
Havis Shield	Model# HAV-C-Cup2-1	Cup holder for console	
Havis Shield	Model# AP-139-L	13 inch lock box for console	
Whelen	Model B6LED	LED Beacon Combination 700 series LED with L31H 360 degree LED in aluminum housing	
Whelen	Model M6FCV3	Chrome tail light cluster, holds three M6 lightheads	
Whelen	Model M6FCV4,	Chrome Tail light cluster holds four M6 lightheads	
Whelen	Model# SA-315P	Black plastic siren speaker including mounting kit	
Whelen	Model#P840040	Dominator Plus 8 LINZ6 Light heads Red/Clear w/"L" brackets	
Whelen	Model# D808000	Dominator 8 Linz6 with brackets. Blue.	
Whelen	Model# M4FC	Chrome Plated Flange for M4 light head	
Whelen	Model# 295SLSA1	Electronic Siren	

Whelen	Model# F09PC	9 inch length, Clear LEDs	
Whelen	Model# F18PC	18 inch length, Clear LEDs	
Whelen	Model# F27PC	27 inch length, Clear LEDs	
Whelen	Model# F36PC	36 inch length, Clear LEDs	
Whelen	Model# HSS2200	Remote Siren Control Center with hand held controller.	
Whelen	Model# 80C0EHCR	Interior Light 8" round, nine LED, clear lens interior light. Equipped with high and low intensity.	
Whelen	Model# L31H	360 degree Beacon Available in Red, Amber or Green with clear or colored lens	
Whelen	Model# LINZ6R	Solid Color / Red	
Whelen	Model# LINZ6C	Solid Color / Clear	
Whelen	Model# LINZ6B	Solid Color / Blue	
Whelen	Model# LINZ6D	Split Color Red-White	
Whelen	Model# M4R	M4 Warning Lighthouse 3-3/8" H x 5-1/2" W x 1-3/8" D / Solid Color / Red	
Whelen	Model# M4C	M4 Warning Lighthouse 3-3/8" H x 5-1/2" W x 1-3/8" D / Solid Color / Clear	
Whelen	Model# M4D	M4 Warning Light head 3-3/8" H x 5-1/2" W x 1-3/8" D / Split Color Red-Clear	
Whelen	Model# M6BTTR	M6 Red lens, Red LEDs Brake Turn Tail Light. Light head	
Whelen	Model# M6BRUSH	Brush Guard Bracket for the M6 Light head, Black	
Whelen	Model# M6FC	M6 Chrome Flange	
Whelen	Model# M6T	M6 LED Arrow, Amber lens, Amber LEDs	
Whelen	Model# M6ZC	M6 Super LED Scene Light, 12 diode	
Whelen	Model# M6R	M6 Warning Light head 4-5/16" H x 6-3/4" W x 1-3/8" D / Solid Color / Red	
Whelen	Model# M6C	M6 Warning Light head 4-5/16" H x 6-3/4" W x 1-3/8" D / Solid Color / Clear	
Whelen	Model# M6D	M6 Warning Lighthouse 4-5/16" H x 6-3/4" W x 1-3/8" D / Split Color Red-Clear	
Whelen	Model# M7R	M7 Warning Lighthouse 3-3/8" W x 7-5/8" W x 1-3/8" D / Solid Color / Red	
Whelen	Model# M7C	M7 Warning Lighthouse 3-3/8" W x 7-5/8" W x 1-3/8" D / Solid Color / Clear	
Whelen	Model# M7D	M7 Warning Lighthouse 3-3/8" W x 7-5/8" W x 1-3/8" D / Split Color Red-Clear	
Whelen	Model# M7FC	M7 Chrome Flange	
Whelen	Model# M9BTTX	M9 Brake, Tail, Turn LED Light	
Whelen	Model# M9FC	M9 Chrome Flange	

Whelen	Model# M9ZC	M9 Super LED Scene Light, 24 diode	
Whelen	Model# M9T	M9 LED Turn Signal Arrow LED Light	
Whelen	Model# M9R	M9 Warning Lighthouse 6-1/2" H x 10-3/8" W x 1-3/8" D /Solid Color / Red	
Whelen	Model# M9C	M9 Warning Lighthouse 6-1/2" H x 10-3/8" W x 1-3/8" D /Solid Color / Clear	
Whelen	Model# M9D	M9 Warning Lighthouse 6-1/2" H x 10-3/8" W x 1-3/8" D / Split Color Red-Clear	
Whelen	Model# PSBP12	Pedestal Mount, PAR 36 Work Lights to have 12 Super LEDs, Black housing	
Whelen	Model# PCP2	PCP2 Pioneer Plus Combination Flood and Spot Scene light w/white housing.	
Whelen	Model# R10HD	Responder HD Super-LED Mini Lightbar 17-1/4" inches Clear Lenses, Clear and Red 400 series LEDs	
Whelen	Model# FECT10BR	Round 4" – Extended Lighthouse Solid Color Blue lens/ blue lights	
Whelen	Model# FECT10RR	Round 4" – Extended Lighthouse Solid Color / Red	
Whelen	Model# FECT10CR	Round 4" – Extended Lighthouse Solid Color / Clear	
Whelen	Model# WHE-VTXFB	Vertex surface mount blk. Flange	
Whelen	Model# FECT10DR	Round 4" – Extended Lighthouse Split Color Red-White	
Whelen	Ultra Freedom 28" Lightbar	Mini-Ultra Freedom 28" Lightbar Clear Lenses. Four Red corner LEDs, Two forward facing LEDs and no rear facing LEDs. Clear LEDs in the Alley Light Positions.	
Whelen	Ultra Freedom 55" Lightbar	Clear Lenses, with solid Red Lens over front steady burn halogen lights. Halogen Takedown/Steady burn lights moved to center position in lightbar. Four forward facing LEDs, Red corner LEDs, six rear facing LEDs and alley lights.	
Whelen	Model# WHE-IZ13UFZ	Inner edge two piece unit. Blue	
Whelen	Model# 23CTPC	V Series, White LED Warning Light, Clear Work Light and Scene Light with Chrome Flange.	
Whelen	Model# 23RTPC	V Series, Red LED Warning Light, Clear Work Light and Scene Light with Chrome Flange.	
Whelen	Model# VTX609*C	Vertex Clear LEDs w/clear lens	
Whelen	Model# VTX609*R	Vertex Solid Red	
Whelen	Model# VTX609d	Vertex Split Color Red-White	
Whelen	Model# WHE-VTX609E	Vertex Split color Blue-White	

Roscoe Vision	Model# DV132 32gb SDHC	Video camera system	
Associates	Model# GL1	500 amp jump start system	
Pro Guard	Model# S5705t07	Transport Seat w/7ga steel screen window cage barrier.	
Pro Guard	Model# P5704T12A	Center sliding Polycarb Window cage/front partition	
Pro Guard	Model# SPS7FW12	Full width lower extension	
Pro Guard	Model# WBP57NPT07	Polcarb window barriers/ use with OEM door panels	
Go Rhino	Model# 5126 WHD	Full wrap around push bumper	
Road Runner	Model# ETRRSS-P	Headlight flasher	
Sound Off	Model# ECVDMLTZA	Interior LED red/white. Clear lens. Switch at light,	
Waytek	Model# WAY-44235	Round rocker switch with red illumination light	
Stinger	Model# DS HP	Led Flash light	
Mag-lite	Model# RE7019	5 cell rechargeable Mag Light	
Tuff Box	Model 36-009CK (with) Model# 36-001203B-1	Tuff box with combo lock and dividers	
Ion	Model# IONSV3	v-heads/muti operations	
Ram-Mount	Model# RAM-VB-159-SW1	Laptop no drill mount	
Radar	Installation	Complete radar system installation	
Camera	Installation	Complete Camera system installation	
Radar/camera	Installation	Installation of both systems at the same time.	

\*\*\*\*\*REMAINDER OF PAGE INTENTIONALLY LEFT BLANK\*\*\*\*\*



## Colleton County Procurement Office

**Bid: FMD-06**

### **CERTIFICATE OF FAMILIARITY**

The undersigned, having fully familiarized him/her with the information contained within this entire solicitation and applicable amendments, submits the attached response, and other applicable information to the County, which I verify to be true and correct to the best of my knowledge. I further certify that this response is made without prior understanding, agreement, or connection with any corporation, firm or person submitting a response for the same materials, supplies or equipment, and is in all respects, fair and without collusion or fraud. I agree to abide by all conditions set forth in this solicitation and certify that I have signature authority to bind the company listed herein.

**MINORITY BUSINESS:** Are you a minority business?

▶ **Yes** \_\_\_ (\_\_\_ Women-owned / \_\_\_ Disadvantaged) If yes, please submit a copy of your certificate with your response.

▶ **No** \_\_\_

\_\_\_\_\_  
Mailing Address

\_\_\_\_\_  
Printed Name

\_\_\_\_\_  
City, State, Zip

\_\_\_\_\_  
Title

\_\_\_\_\_  
Date

\_\_\_\_\_/\_\_\_\_\_  
Telephone Number / Fax Number

### **REMITTANCE ADDRESS**

\_\_\_\_\_  
Company Name

\_\_\_\_\_  
Authorized Signature (As registered with the IRS)

\_\_\_\_\_  
Address

\_\_\_\_\_  
E-Mail Address

\_\_\_\_\_  
City, State, Zip

\_\_\_\_\_  
Fax Number

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Toll Free Number

\_\_\_\_\_  
Federal Tax ID Number

\_\_\_\_\_  
Sales Tax Number