

## **ADDENDUM NUMBER 01**

To: ALL PROSPECTIVE BIDDERS

From: Michael Baker International, Inc.  
700 Huger Street  
Columbia, SC 29201

Subject: Bid #2025-01 – Ace Basin Hangar Roof Repair Project

Date: 03/20/2025

This Addendum constitutes an official change to the Contract Documents and modifies the original Bid Documents entitled **Bid #2025-01 - Ace Basin Hangar Roof Repair Project** at the Lowcountry Regional Airport, as noted herein. Bidders are to acknowledge the receipt of this addendum in the space provided on the bid form. **FAILURE TO DO SO MAY SUBJECT A BIDDER TO DISQUALIFICATION.**

**The date for receipt of bids is unchanged by this Addendum.**

### **CHANGES TO THE PROJECT MANUAL**

1. REVISIONS TO DIVISIONS 02 - 49 SPECIFICATION SECTIONS
  - A. Specification Section 07 9200 – JOINT SEALANTS, (not reissued)
    - i. Paragraph 3.6 – JOINT-SEALANT SCHEDULE
      1. Joint-Sealant Application: Exterior joints in vertical surfaces and horizontal nontraffic surfaces.
        - a. Joint Locations:
          - i. Door and Window frame perimeters.
          - ii. Perimeter of metal penetrations.
        - b. Joint Sealant: Silicone, S, NS, 50, NT.
        - c. Joint Sealant Color: As selected from manufacturer’s full range of colors.
      2. Joint-Sealant Application: Exterior weatherproofing joints.
        - a. Joint Locations:
          - i. Metal overlapping weatherproofing joints.
        - b. Joint Sealant: Silicone, S, NS, 100/50, NT.
        - c. Joint Sealant Color: As selected from manufacturer’s full range of colors.
      3. Joint Sealant Application: Concealed mastics.
        - a. Joint Locations:
          - i. Aluminum thresholds.
          - ii. Sill plates.
        - b. Joint Sealant: Butyl-rubber based.
        - c. Joint Sealant Color: White.

**END OF ADDENDUM NUMBER 01.**